Contents

NUMBER 1 FEBRUARY

1 *C. Roger, B. Tivoli & L. Huber.* Effects of temperature and moisture on disease and fruit body development of *Mycosphaerella pinodes* on pea (*Pisum sativum*)

10 *C. Roger, B. Tivoli & L. Huber.* Effects of interrupted wet periods and different temperatures on the development of ascochyta blight caused by *Mycosphaerella pinodes* on pea (*Pisum sativum*) seedlings

19 *I. Schwob, M. Ducher & A. Coudret.* Effects of climatic factors on native arbuscular mycorrhizae and *Meloidogyne exigua* in a Brazilian rubber tree (*Hevea brasiliensis*) plantation

26 *A. V. Sturz & J. Kimpinski.* Effects of fosthiazate and aldicarb on populations of plant-growth-promoting bacteria, root-lesion nematodes and bacteria-feeding nematodes in the root zone of potatoes

33 *R. J. Cook, M. J. Hims & T. B. Vaughan.* Effects of fungicide spray timing on winter wheat disease control

51 *T. Hunter, R. R. Coker & D. J. Royle.* The teleomorph stage, *Mycosphaerella graminicola*, in epidemics of septoria tritici blotch on winter wheat in the UK

58 *A. Sid Ahmed, C. Pérez-Sánchez, C. Egea & M. E. Candela.* Evaluation of *Trichoderma harzianum* for controlling root rot caused by *Phytophthora capsici* in pepper plants

66 *M. Ongena, F. Daayf, P. Jacques, P. Thonart, N. Benhamou, T. C. Paulitz, P. Cornélis, N. Koedam & R. R. Bélanger.* Protection of cucumber against Pythium root rot by fluorescent pseudomonads: predominant role of induced resistance over siderophores and antibiosis

77 *L. C. L. Ferraz, A. C. Café Filho, L. C. B. Nasser & J. Azevedo.* Effects of soil moisture, organic matter and grass mulching on the carpogenic germination of sclerotia and infection of bean by *Sclerotinia sclerotiorum*

83 *T. Hsiang & G. S. Mahuku.* Genetic variation within and between southern Ontario populations of *Sclerotinia homoeocarpa*

95 *C. Varveri & K. Boutsika.* Characterization of cucumber mosaic cucumovirus isolates in Greece

101 *C. E. Jenner, G. J. Keane, J. E. Jones & J. A. Walsh.* Serotypic variation in turnip mosaic virus

109 *A. A. Mpunami, A. Tymon, P. Jones & M. Dickinson.* Genetic diversity in the coconut lethal yellowing disease phytoplasmas of East Africa

115 *S. E. Seal, M. Taghavi, N. Fegan, A. C. Hayward & M. Fegan.* Determination of *Ralstonia* (*Pseudomonas*) *solanacearum* rDNA subgroups by PCR tests

121 *R. Thwaites, J. Mansfield, S. Eden-Green & S. Seal.* RAPD and rep PCR-based fingerprinting of vascular bacterial pathogens of *Musa* spp.

129 *G. R. G. Clover, S. N. Azam-Ali, K. W. Jaggard & H. G. Smith.* The effects of beet yellows virus on the growth and physiology of sugar beet (*Beta vulgaris*)

139 *M. J. Basallote-Ureba, A. M. Prados-Ligero & J. M. Melero-Vara.* Aetiology of leaf spot of garlic and onion caused by *Stemphylium vesicarium* in Spain

146 Book review

NUMBER 2 APRIL

Letters to the Editor

147 *G. Hughes, N. McRoberts & F. J. Burnett.* Decision-making and diagnosis in disease management

154 *A. Herrmann, C. F. Löwer & G. A. Schachtel.* A new tool for entry and analysis of virulence data for plant pathogens

159 *R. Johnson.* The use of binary and octal notation for designating races of plant pathogens

Review Article

161 *R. H. Williams & B. D. L. Fitt.* Differentiating A and B groups of *Leptosphaeria maculans*, causal agent of stem canker (blackleg) of oilseed rape

176 *C. G. Kocks, J. C. Zadoks & M. A. Ruissen.* Spatio-temporal development of black rot (*X. campestris* pv. *campestris*) in cabbage in relation to initial inoculum levels in field plots in The Netherlands

189 *H. L. Van de Lande & J. C. Zadoks.* Spatial patterns of spear rot in oil palm plantations in Surinam

202 *A. J. Hilton, P. Jenkinson, T. W. Hollins & D. W. Parry.* Relationship between cultivar height and severity of Fusarium ear blight in wheat

209 *F. M. Doohan, D. W. Parry & P. Nicholson. Fusarium* ear blight of wheat: the use of quantitative PCR and visual disease assessment in studies of disease control

218 *C. Onfroy, B. Tivoli, R. Corbière & Z. Bouznad.* Cultural, molecular and pathogenic variability of *Mycosphaerella pinodes* and *Phoma medicaginis* var. *pinodella* isolates from dried pea (*Pisum sativum*) in France

230 *M. S. A. Khan, M. D. Ramsey, R. Corbière, A. Infantino, A. Porta-Puglia, Z. Bouznad & E. S. Scott.* Ascochyta blight of chickpea in Australia: identification, pathogenicity and mating type

235 *A. Rosner, L. Maslenin & S. Spiegel.* Double-stranded conformation polymorphism of heterologous RNA transcripts and its use for virus strain differentiation

240 *A. N. Adams, C. M. Guise & S. J. Crossley.* Plum pox virus detection in dormant plum trees by PCR and ELISA

245 *Z. K. Wang, J. C. Comstock, E. Hatziloukas & N. W. Schaad.* Comparison of PCR, BIO-PCR, DIA, ELISA and isolation on semiselective medium for detection of *Xanthomonas albilineans*, the causal agent of leaf scald of sugarcane

253 *L. Sutra, P. Prior, K. Perlemoine, J. M. Risede, P. Cao-Van & L. Gardan.* Description of a new disease on *Erythrina* sp. in Martinique (French West Indies) and preliminary characterization of the causal agent as a novel *Erwinia* species

260 *A. De Cal, R. García-Lepe, S. Pascual & P. Melgarejo.* Effects of timing and method of application of *Penicillium oxalicum* on efficacy and duration of control of Fusarium wilt of tomato

267 *L. M. van Zyl, M. J. Wingfield, A. C. Alfenas & P. W. Crous.* Hypovirulence detected in Brazilian isolates of *Cryphonectria cubensis*

273 *P. Delfosse, A. S. Reddy, A. Legrève, P. S. Devi, K. Thirumala Devi, H. Maraite & D. V. R. Reddy.* Indian peanut clump virus (IPCV) infection on wheat and barley: symptoms, yield loss and transmission through seed

283 *W. Jarausch, M. Lansac, C. Bliot & F. Dosba.* Phytoplasma transmission by *in vitro* graft inoculation as a basis for a preliminary screening method for resistance in fruit trees

288 *Q. H. Pan, L. Wang & T. Tanisaka.* A new blast resistance gene identified in the Indian native rice cultivar Aus373 through allelism and linkage tests

294 Book reviews

NUMBER 3 JUNE

297 *R. Kennedy, A. J. Wakeham & J. E. Cullington.* Production and immunodetection of ascospores of *Mycosphaerella brassicicola*: ringspot of vegetable crucifers

308 *A. J. Inman, B. D. L. Fitt, A. D. Todd & R. L. Evans.* Ascospores as primary inoculum for epidemics of white leaf spot (*Mycosphaerella capsellae*) in winter oilseed rape in the UK
320 *M. Shankar, W. A. Cowling, M. W. Sweetingham, K. A. Than, J. A. Edgar & A. Michalewicz.* Screening for resistance to *Diaporthe toxica* in lupins by estimation of phomopsins and glucoseamine in individual plants
325 *A. K. Jacobs, I. B. Dry & S. P. Robinson.* Induction of different pathogenesis-related cDNAs in grapevine infected with powdery mildew and treated with ethephon
337 *T. T. Chang & R. J. Chang.* Generation of volatile ammonia from urea fungicidal to *Phellinus noxius* in infested wood in soil under controlled conditions
345 *B. P. J. de Lacy Costello, P. Evans, R. J. Ewen, H. E. Gunson, N. M. Ratcliffe & P. T. N. Spencer-Phillips.* Identification of volatiles generated by potato tubers (*Solanum tuberosum* cv. Maris Piper) infected by *Erwinia carotovora, Bacillus polymyxa* and *Arthrobacter* sp.
352 *M. Davanlou, A. M. Madsen, C. H. Madsen & J. Hockenhull.* Parasitism of macroconidia, chlamydospores and hyphae of *Fusarium culmorum* by mycoparasitic *Pythium* species
360 *A. V. Sturz, B. R. Christie, B. G. Matheson, W. J. Arsenault & N. A. Buchanan.* Endophytic bacterial communities in the periderm of potato tubers and their potential to improve resistance to soil-borne plant pathogens
370 *M. E. Roye, M. E. Wernecke, W. A. McLaughlin, M. K. Nakhla & D. P. Maxwell.* Tomato dwarf leaf curl virus, a new bipartite geminivirus associated with tomatoes and peppers in Jamaica and mixed infection with tomato yellow leaf curl virus
379 *R. Ye, T. Zheng, J. Chen, A. Diao, M. J. Adams, S. Yu & J. F. Antoniw.* Characterization and partial sequence of a new furovirus of wheat in China
388 *J. Ng & K. L. Perry.* Stability of the aphid transmission phenotype in cucumber mosaic virus
395 *N. Grasseau, G. Macquaire, R. Boyé, D. Cornaggia & J. C. Desvignes.* Peach red marbling and peach sooty ringspot, two new virus-like degenerative diseases of *Prunus*
402 *C. Damgaard & B. J. Nielsen.* The effect of fungal density on fungicide dose–response curves in barley powdery mildew (*Erysiphe graminis* f.sp. *hordei*)
408 *P. Deberdt, P. Quénéhervé, A. Darrasse & P. Prior.* Increased susceptibility to bacterial wilt in tomatoes by nematode galling and the role of the *Mi* gene in resistance to nematodes and bacterial wilt
415 *P. Deberdt, J. Olivier, P. Thoquet, P. Quénéhervé & P. Prior.* Evaluation of bacterial wilt resistance in tomato lines nearly isogenic for the *Mi* gene for resistance to root-knot
425 *J. Ochoa, H. D. Frinking & Th. Jacobs.* Postulation of virulence groups and resistance factors in the quinoa/downy mildew pathosystem using material from Ecuador
431 Book reviews

NUMBER 4 **AUGUST**

433 **British Society for Plant Pathology Presidential Address 1998.**
D. S. Ingram. Biodiversity, plant pathogens and conservation
443 **New Honourary Member of BSPP**
Lord Sainsbury of Turville
445 *D. A. Metcalf & C. R. Wilson.* Histology of *Sclerotium cepivorum* infection of onion roots and the spatial relationships of pectinases in the infection process
453 *J. Holt & T. C. B. Chancellor.* Modelling the spatio-temporal deployment of resistant varieties to reduce the incidence of rice tungro disease in a dynamic cropping system
462 *X.-M. Xu.* Modelling and forecasting epidemics of apple powdery mildew (*Podosphaera leucotricha*)
472 *L. Geagea, L. Huber & I. Sache.* Dry-dispersal and rain-splash of brown (*Puccinia recondita* f.sp. *tritici*) and yellow (*P. striiformis*) rust spores from infected wheat leaves exposed to simulated raindrops
483 *J. Frantzen & H. Müller-Schärer.* Wintering of the biotrophic fungus *Puccinia lagenophorae* within the annual plant *Senecio vulgaris*: implications for biological weed control
491 *G. M. L. W. Kroes, H. J. M. Löffler, J. E. Parlevliet, L. C. P. Keizer & W. Lange.* Interactions of *Fusarium oxysporum* f.sp. *lini*, the flax wilt pathogen, with flax and linseed
499 *L. A. Agro & R. C. Shattock.* Interactions between isolates of *Puccinia smyrnii*, an autoecious, demicyclic rust and accessions of *Smyrnium olusatrum*
505 *S. H. Shomari & R. Kennedy.* Survival of *Oidium anacardii* on cashew (*Anacardium occidentale*) in southern Tanzania
514 *S.-L. Rhim, B. Völksch, L. Gardan, J.-P. Paulin, C. Langlotz, W.-S. Kim & K. Geider.* *Erwinia pyrifoliae*, an Erwinia species different from *Erwinia amylovora*, causes a necrotic disease of Asian pear trees
521 *A. N. Markoglou & B. N. Ziogas.* Genetic control of resistance to fenpropimorph in *Ustilago maydis*
531 *M. Bardin, J. Carlier & P. C. Nicot.* Genetic differentiation in the French population of *Erysiphe cichoracearum*, a causal agent of powdery mildew of cucurbits
541 *T. Katan & J. Katan.* Vegetative compatibility grouping in *Fusarium oxysporum* f.sp. *radicis-lycopersici* from the UK, the Netherlands, Belgium and France
550 *R. Bradburne, D. Majer, R. Magreth, C. P. Werner, B. Lewis & R. Mithen.* Winter oilseed rape with high levels of resistance to *Pyrenopeziza brassicae* derived from wild *Brassica* species
559 *L. Deglène, G. Alibert, P. Lesigne, D. Tourvieille de Labrouhe & A. Sarrafi.* Inheritance of resistance to stem canker (*Phomopsis helianthi*) in sunflower
564 Book reviews

NUMBER 5 **OCTOBER**

567 *D. Singh, R. F. Park & R. A. McIntosh.* Genetic relationship between the adult plant resistance gene *Lr12* and the complementary gene *Lr31* for seedling resistance to leaf rust in common wheat
574 *B. D McCallum, A. P. Roelfs, L. J. Szabo & J. V. Groth.* Comparison of *Puccinia graminis* f.sp. *tritici* from South America and Europe
582 *V. Caffier, U. E. Brändle & M. S. Wolfe.* Genotypic diversity in barley powdery mildew populations in northern France
588 *L. W. O'Garro, J. P. Gore & E. Ferguson.* Races of *Xanthomonas campestris* pv. *vesicatoria* overcoming the gene *Bs2* for bacterial spot resistance in pepper, prevalent on *Capsicum chinense* in Barbados and Grenada and weakly pathogenic on bell pepper, prevalent on *Capsicum chinense* in Barbados and Grenada and weakly pathogenic on bell pepper and tomato in the field
595 *R. N. G. Miller, M. Holderness, P. D. Bridge, G. F. Chung & M. H. Zakaria.* Genetic diversity of *Ganoderma* in oil palm plantings
604 *B. D. Jensen, J. Hockenhull & L. Munk.* Seedling and adult plant resistance to downy mildew (*Peronospora parasitica* in cauliflower (*Brassica oleracea* convar. *botrytis* var. *botrytis*)

613 *Y. Sakamoto, Y. Takikawa & K. Sasaki.* Occurrence of watermark disease of willows in Japan
620 *A. E. Ataga, H. A. S. Epton & R. R. Frost.* Interaction of virus-infected celery and *Septoria apiicola*
627 *C. R. Thornton, T. M. O'Neill, G. Hilton & C. A. Gilligan. Detection and recovery of Rhizoctonia solani* in naturally infested glasshouse soils using a combined baiting, double monoclonal antibody ELISA
635 *F. Gitton, A. Diao, O. Ducrot, J. F. Antoniw, M. J. Adams & H. Maraite.* A two-step multiplex RT-PCR method for simultaneous detection of soil-borne wheat mosaic virus and wheat spindle streak mosaic virus from France
642 *Jiong Chen, A. Sohn, J.-P. Chen, J. Lei, Y. Cheng, S. Schulze, H.-H. Steinbiss, J. F. Antoniw & M. J. Adams.* Molecular comparisons amongst wheat bymovirus isolates from Asia, North America and Europe
648 *A. I. Bhat, A. Varma, H. R. Pappu, M. Rajamannar, R. K. Jain & S. Praveen.* Characterization of a potyvirus from eggplant (*Solanum melongena*) as a strain of potato virus Y by N-terminal serology and sequence relationships
655 *V. Aritua, J. P. Legg, N. E. J. M. Smit & R. W. Gibson.* Effect of local inoculum on the spread of sweet potato virus disease: limited infection of susceptible cultivars following widespread cultivation of a resistant sweet potato cultivar
662 *X.-M. Xu.* Effects of temperature on the latent period of the rose powdery mildew pathogen, *Sphaerotheca pannosa*
668 *H.-P. Piepho.* Analysing disease incidence data from designed experiments by generalized linear mixed models
675 Book and software reviews

NUMBER 6 **DECEMBER**

679 **7th ICPP Plenary Lecture – The Glenn Anderson Lecture 1998**
E. Terry. Ecological stability and crop protection: a case for investment in technological alternatives
689 **7th ICPP Plenary Lecture**
P. A. Urech. The agrochemical industry: its contribution to crop protection and environmental policy
693 *F. van de Wetering, K. Posthuma, R. Goldbach & D. Peters.* Assessing the susceptibility of chrysanthemum cultivars to tomato spotted wilt virus
700 *E. K. Chatzivassiliou, T. Nagata, N. I. Katis & D. Peters.* Transmission of tomato spotted wilt tospovirus by *Thrips tabaci* populations originating from leek
707 *D. L. Ochoa Martinez, E. Zavaleta-Mejía, G. Mora-Aguilera & R. M. Johansen N.* Implications of weed composition and thrips species for the epidemiology of tomato spotted wilt in chrysanthemum (*Dendranthema grandiflora*)
718 *T. Alicai, N. S. Fenby, R. W. Gibson, E. Adipala, H. J. Vetten, G. D. Foster & S. E. Seal.* Occurrence of two serotypes of sweet potato chlorotic stunt virus in East Africa and their associated differences in coat protein and HSP70 homologue gene sequences
727 *Y. Abou-Jawdah, R. Maalouf, W. Shebaro & K. Soubra.* Comparison of the reaction of tomato lines to infection by tomato yellow leaf curl begomovirus in Lebanon
735 *D. Alioto, M. Gangemi, S. Deaglio, S. Sposato, E. Noris, E. Luisioni & R. G. Milne.* Improved detection of citrus psorosis virus using polyclonal and monoclonal antibodies
742 *A. S. Turner, R. B. O'Hara, H. N. Rezanoor, M. Nutall, J. N. Smith & P. Nicholson.* Visual disease and PCR assessment of stem base diseases in winter wheat
749 *P. Pattanamahakul & R. N. Strange.* Identification and toxicity of *Alternaria brassicicola*, the causal agent of dark leaf spot disease of *Brassica* species grown in Thailand
756 *O. B. Hidalgo, R. Santos, R. T. Tussel, A. Pires de Matos, R. S. Cabral, M. Arzola & M. C. Pérez.* Phytotoxicity of *Fusarium subglutinans* culture filtrates on *in vitro* plantlets and calli of resistant and susceptible pineapple (*Ananas comosus*)
759 *E. S. Toal & P. W. Jones.* Induction of systemic resistance to *Sclerotinia sclerotiorum* by oxalic acid in oilseed rape
768 *G. C. Percival, M. S. Karim & G. R. Dixon.* Pathogen resistance in aerial tubers of potato cultivars
777 *A. O. Latunde-Dada, R. J. O'Connell, C. Nash & J. A. Lucas.* Stomatal penetration of cowpea (*Vigna unguiculata*) leaves by a *Colletotrichum* species causing latent anthracnose
786 *T. Burgess, G. E. StJ. Hardy, J. A. McComb & I. Colquhoun.* Effects of hypoxia on root morphology and lesion development in *Eucalyptus marginata* infected with *Phytophthora cinnamomi*
797 *T. Burgess, J. A. McComb, I. Colquhoun & G. E. StJ. Hardy.* Increased susceptibility of *Eucalyptus marginata* to stem infection by *Phytophthora cinnamomi* resulting from root hypoxia
807 *M. R. Finckh, E. S. Gacek, H. Z. Czembor & M. S. Wolfe.* Host frequency and density effects on powdery mildew and yield in mixtures of barley cultivars
817 *V. K. Bansal, M. R. Thiagarajah, G. R. Stringam & J. P. Tewari.* Inheritance of partial resistance to race 2 of *Albugo candida* in canola-quality mustard (*Brassica juncea*) and its role in resistance breeding
823 *M. Walter, K. S. H. Boyd-Wilson, J. H. Perry, P. A. G. Elmer & C. M. Frampton.* Survival of *Botrytis cinerea* conidia on kiwifruit
830 *E. M. Davison & A. G. McKay.* Reduced persistence of metalaxyl in soil associated with its failure to control cavity spot of carrots
836 Book reviews
839 Author index
844 Keywords index